

HISTORIC PRESERVATION APPLICATION

CASE NO. _____

PROPERTY INFORMATION

Address: 501 Jefferson Ave

Date of construction (if known): 1948

Legal Description: Lot 15, 16, 17 Blk 3

Subdivision Acme Place

If Applicable: Landmark Name/Resolution

Res. No. _____ Year _____

APPLICANT INFORMATION

Name: Carolyn Ford + Christopher Behm

Company: _____

Address: 501 Jefferson Ave
Louisville, CO 80027

Telephone: 303 888 9094

Email: behmford@gmail.com

OWNER INFORMATION (if not applicant)

Name: _____

Company: _____

Address: _____

Telephone: _____

Email: _____

TYPE (S) OF APPLICATION

- ☐ Historic Structure Assessment
- ☒ Landmark
- ☒ Historic Preservation Fund Grant
- ☐ Historic Preservation Fund Loan
- ☒ Alteration Certificate
- ☐ Demolition Review
- ☐ Pre-filing Conference with Historic Preservation Commission

PROJECT INFORMATION

(Attach additional pages if necessary)

Summary: _____

Historic Designation

Window replacement

SIGNATURES & DATE

Applicant Name (please print):

G Ford Chris Behm

Applicant Signature:

Carolyn Ford CHRIS BEHM

Owner Name (please print):

Carolyn Ford CHRIS BEHM

Owner Signature:

G Ford Chris Behm

3. REQUEST SUMMARY

HISTORIC DESIGNATION
WINDOW REPLACEMENT

4. PROJECT DESCRIPTION (Please do not exceed space provided below.)

- a. Provide a brief description of the proposed scope of work.

REPLACE WINDOWS IN ORIGINAL PORTION
OF HOUSE

- b. Describe how the work will be carried out and by whom. Include a description of elements to be rehabilitated or replaced and describe preservation work techniques that will be used.

ENTIRE WINDOWS WILL BE REPLACE
IN ORIGINAL OPENINGS. WORK WILL
BE DONE BY SIGNATURE WINDOWS

- c. Explain why the project needs historic preservation funds. Include a description of community support and/or community benefits, if any.

CURRENT WINDOW HAVE FAILED
SEALS AFFECTING THE LOOK OF
HOUSE

5. DESCRIPTION OF REHABILITATION *(Attach additional pages as necessary.)*

Name of Architectural Feature:

Describe feature and its condition: WINDOWS IN ORIGINAL OPENING HAVE FAILED SEAL AND ARE CLOUDED	Describe proposed work on feature: DIRECT REPLACE- MENT OF WINDOWS
--	--

Name of Architectural Feature:

Describe feature and its condition:	Describe proposed work on feature:
-------------------------------------	------------------------------------

Name of Architectural Feature:

Describe feature and its condition:	Describe proposed work on feature:
-------------------------------------	------------------------------------

Name of Architectural Feature:

Describe feature and its condition:	Describe proposed work on feature:
-------------------------------------	------------------------------------

6. COST ESTIMATE OF PROPOSED WORK

Provide a budget that includes accurate estimated costs of your project. Include an **itemized breakdown** of work to be funded by the incentives and the work to be funded by the applicant. Include only eligible work elements. Use additional sheets as necessary. When possible, include quotes for the proposed work.

Type of Incentive: ☒ GRANT ☐ LOAN ☐ BOTH

Feature	Proposed Work to be Funded	Fund Request	Match (M)	Total
A.	WINDOW REPLACEMENT	\$ 7436	\$ 7436	\$ 14872
B.		\$	\$	\$
C.		\$	\$	\$
D.		\$	\$	\$
E.		\$	\$	\$
F.		\$	\$	\$
G.		\$	\$	\$
H.		\$	\$	\$
I.		\$	\$	\$
J.		\$	\$	\$
K.		\$	\$	\$
	Total Proposed Work	\$	\$	\$

For loan requests, indicate total loan request here:

\$

If partial incentive funding were awarded, would you complete your project? ☒ YES ☐ NO

7. ADDITIONAL MATERIALS REQUIRED


The following items must be submitted along with this application:

- ☒ One set of photographs for each feature as described in Item 4 "Description of Rehabilitation". Digital is preferred.
- ☒ A construction bid if one has been completed for your project (recommended).
- ☐ Working or scaled drawings, spec sheets, or materials of the proposed work, if applicable to your project.


8. ASSURANCES

The Applicant hereby agrees and acknowledges that:


- A. Funds received as a result of this application will be expended solely on described projects, and must be completed within established timelines.
- B. Awards from the Historic Preservation Fund may differ in type and amount from those requested on an application.
- C. Recipients must submit their project for any required design review by the Historic Preservation Commission and acquire any required building permits before work has started.
- D. All work approved for grant funding must be completed even if only partially funded through this incentives program.
- E. Unless the conditions of approval otherwise provide, disbursement of grant or rebate funds will occur after completion of the project.
- F. The incentive funds may be considered taxable income and Applicant should consult a tax professional if he or she has questions.
- G. If this has not already occurred, Applicant will submit an application to landmark the property to the Historic Preservation Commission. If landmarking is not possible for whatever reason, Applicant will enter into a preservation easement agreement with the City of Louisville. Any destruction or obscuring of the visibility of projects funded by this grant program may result in the City seeking reimbursement.
- H. The Historic Preservation Fund was approved by the voters and City Council of Louisville for the purpose of retaining the city's historic character, so all work completed with these funds should remain visible to the public.




Signature of Applicant/Owner



Signature of Applicant/Owner



Date



Date

Historic Preservation Application

The following information must be provided to ensure adequate review of your proposal. Please type or print answers to each question. Please keep your responses brief but thorough. If you have any questions about the application or application process, please reach out to the Historic Preservation Planner.

TYPE(S) OF APPLICATION

☐ Probable Cause Hearing/Historic Structure
Assessment

☒ Landmark Designation

☒ Historic Preservation Fund Grant

☐ Historic Preservation Fund Loan

☒ Landmark Alteration Certificate

☐ Demolition Review

☐ Other: _____

1. OWNER/APPLICANT INFORMATION

Owner or Organization

Name(s): Carolyn Ford & CHRIS BEHM

Mailing Address: 501 JEFFERSON AVE LOUISVILLE

Telephone: 303 888 9094

Email: BEHMFORD@GMAIL.COM

Applicant/Contact Person (if different than owner)

Name: _____

Company: _____

Mailing Address: _____

Telephone: _____

Email: _____

2. PROPERTY INFORMATION

Address: 501 JEFFERSON AVE

Legal Description: LOTS 15, 16 & 17 BLOCK 3 ACME PLACE

Parcel Number: _____ Year of construction (if known): 1948

Landmark Name and Resolution (if applicable): _____

Primary Use of Property: RESIDENCE

501 Jefferson Ave., L-Ville Chris Behm

Quote #: ZFPJDX4

A Proposal for Window and Door Products prepared for:

Job Site:

80027

Shipping Address:

SIGNATURE WINDOWS-BOULDER

14309 E 35th Pl Ste 105

Aurora, CO 80011-1247

Featuring products from:



SIGNATURE WINDOWS + DOORS

INNOVATION | IMAGINATION | INSTALLATION

KIB DELORRAINE

SIGNATURE WINDOWS-BOULDER

14309 E 35TH PL STE 105

AURORA, CO 80011-1247

Phone: (303) 442-4277 109


Email: kdelorraine@signaturewindows.co

This report was generated on 5/14/2021 11:13:38 AM using the Marvin Order Management System, version 0003.08.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: A-KITCHEN WEST	Net Price:		805.60
Qty: 1		Ext. Net Price:	USD	805.60



As Viewed From The Exterior

Entered As: FS

FS 37" X 39"

Egress Information

Width: 33 13/32" Height: 14 7/16"

Net Clear Opening: 3.35 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

CPD Number: MAR-N-425-17179-00001

Performance Grade

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 37" X 39"
Rough Opening 38" X 39 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change

Initials required


Seller: _____

Buyer: _____

Line #2	Mark Unit: B-KITCHEN WEST	Net Price:		884.00
Qty: 1		Ext. Net Price:	USD	884.00



Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 43" X 43"
Rough Opening 44" X 43 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG



As Viewed From The Exterior

Entered As: FS

FS 43" X 43"

Egress Information

Width: 39 13/32" Height: 16 7/16"

Net Clear Opening: 4.50 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

CPD Number: MAR-N-425-17179-00001

Performance Grade

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635


Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #3	Mark Unit: C-LVF S.E./366 GLS/HALF SCRIN	Net Price:		960.00
Qty: 1		Ext. Net Price:	USD	960.00



As Viewed From The Exterior

Entered As: FS

FS 45" X 42"

Egress Information

Width: 41 13/32" Height: 15 15/16"

Net Clear Opening: 4.58 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.18

Visible Light Transmittance: 0.41

Condensation Resistance: 55

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 45" X 42"
Rough Opening 46" X 42 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E3
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E3
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround

CPD Number: MAR-N-425-17183-00001
ENERGY STAR: S
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #4	Mark Unit: D-LVG S TWIN DH/366/HALF SCN	Net Price:		1,824.80
Qty: 1		Ext. Net Price:	USD	1,824.80

MARVIN 



As Viewed From The Exterior

Entered As: Size by Units

FS 86" X 42"

Egress Information A1, A2

Width: 39 13/32" Height: 15 15/16"

Net Clear Opening: 4.36 SqFt

Performance Information A1, A2

Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Performance Grade A1, A2

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635

Performance Grade Mull

Licensee #1127

AAMA 450-10

LC-65 1149X1613 mm (45.26X63.51 in)

LC-65 DP 65

Performance Grade Overall Assembly

LC-PG50 DP +50/-50

Bronze Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
87" X 42 1/2"

Unit: A1

Ultimate Double Hung G2

Basic Frame 43" X 42"

Rough Opening 44" X 42 1/2"

Top Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG

Low E3

Black Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Black

Rectangular - Special Cut 3W1H

Bronze Clad Ext - Bare Pine Int

Ogee Interior Glazing Profile

Bottom Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2

Black Perimeter Bar

Ogee Interior Glazing Profile

Beige Interior Weather Strip Package

Black Exterior Weather Strip Package

Bronze Sash Lock

Bronze Top Sash Strike Plate Assembly Color

Half Screen

Bronze Surround

Charcoal Fiberglass Mesh

***Screen/Combo Ship Loose

Unit: A2

Ultimate Double Hung G2

Basic Frame 43" X 42"

Rough Opening 44" X 42 1/2"

Top Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG

Low E3

Black Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Black

Rectangular - Special Cut 3W1H

Bronze Clad Ext - Bare Pine Int


Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #5	Mark Unit: E-LVG E./HALF SCRNR	Net Price:		884.00
Qty: 2		Ext. Net Price:	USD	1,768.00



As Viewed From The Exterior

Entered As: FS

FS 43" X 43"

Egress Information

Width: 39 13/32" Height: 16 7/16"

Net Clear Opening: 4.50 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 43" X 43"
Rough Opening 44" X 43 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh

CPD Number: MAR-N-425-17179-00001
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #6	Mark Unit: F-DRESSING & BR	Net Price:		808.80
Qty: 3		Ext. Net Price:	USD	2,426.40

MARVIN 



As Viewed From The Exterior

Entered As: FS
FS 25" X 39"
Egress Information
Width: 21 13/32" Height: 14 7/16"
Net Clear Opening: 2.15 SqFt
Performance Information
U-Factor: 0.33
Solar Heat Gain Coefficient: 0.27
Visible Light Transmittance: 0.46
Condensation Resistance: 55
CPD Number: MAR-N-425-17179-00001
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 25" X 39"
Rough Opening 26" X 39 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W2H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #7	Mark Unit: INSTALLATION	Net Price:		5,454.36
Qty: 1		Ext. Net Price:	USD	5,454.36

Labor

*Removal and disposal of existing, installation of new windows, 10-year labor warranty

Initials required

Seller: _____

Buyer: _____

Project Subtotal Net Price: USD	8,668.80
Non-Taxable Labor: USD	5,454.36
8.635% Sales Tax: USD	748.55
Project Total Net Price: USD	14,871.71

TERMS AND CONDITIONS

Quotations are subject to correction at any time, and to price revision after 30-days. All window and door options and specifications as entered are approved by you. You are responsible for windows meeting egress and safety glass code requirements. Immediately upon submitting approved orders with Signature Window + Door's vendors, change requests will be subject to scrap charges and order change fees.

Payment terms are 1/2-Deposit, Balance-COD except with prior approval. Past due accounts are subject to reasonable collection costs, including attorney's fees and interest. Should we hold any part of your order more than 30-days at your request, you agree to process our invoice for payment as if your order had been delivered complete. Signature Windows + Doors is not responsible for delivery delays beyond its control.

Signature Windows + Door's builder/contractor pricing program includes services such as discounted delivery, discount for paying by cash or check, pre-installation workshops and post-installation walk through inspections when requested.

Thank you for your business!

PRODUCT AND PERFORMANCE INFORMATION

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD	8,668.80
Non-Taxable Labor: USD	5,454.36
8.635% Sales Tax: USD	748.55
Project Total Net Price: USD	14,871.71

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____

501 Jefferson Ave., L-Ville Chris Behm

Quote #: ZFPJDX4

A Proposal for Window and Door Products prepared for:

Job Site:

80027

Shipping Address:

SIGNATURE WINDOWS-BOULDER

14309 E 35th Pl Ste 105

Aurora, CO 80011-1247

Featuring products from:



SIGNATURE WINDOWS + DOORS

INNOVATION | IMAGINATION | INSTALLATION

KIB DELORRAINE

SIGNATURE WINDOWS-BOULDER

14309 E 35TH PL STE 105

AURORA, CO 80011-1247

Phone: (303) 442-4277 109


Email: kdelorraine@signaturewindows.co

This report was generated on 5/14/2021 11:13:38 AM using the Marvin Order Management System, version 0003.08.01 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: A-KITCHEN WEST	Net Price:		805.60
Qty: 1		Ext. Net Price:	USD	805.60



As Viewed From The Exterior

Entered As: FS

FS 37" X 39"

Egress Information

Width: 33 13/32" Height: 14 7/16"

Net Clear Opening: 3.35 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

CPD Number: MAR-N-425-17179-00001

Performance Grade

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 37" X 39"
Rough Opening 38" X 39 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
4 9/16" Jamb
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change



Initials required


Seller: _____

Buyer: _____

Line #2	Mark Unit: B-KITCHEN WEST	Net Price:		884.00
Qty: 1		Ext. Net Price:	USD	884.00



Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 43" X 43"
Rough Opening 44" X 43 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG



As Viewed From The Exterior

Entered As: FS

FS 43" X 43"

Egress Information

Width: 39 13/32" Height: 16 7/16"

Net Clear Opening: 4.50 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

CPD Number: MAR-N-425-17179-00001

Performance Grade

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635


Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Aluminum Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

4 9/16" Jamb

Nailing Fin

***Note: Units with Capillary tubes will not have Argon gas.

***Note: Unit Availability and Price is Subject to Change




Initials required

Seller: _____

Buyer: _____

Line #3	Mark Unit: C-LVF S.E./366 GLS/HALF SCRIN	Net Price:		960.00
Qty: 1		Ext. Net Price:	USD	960.00



As Viewed From The Exterior

Entered As: FS

FS 45" X 42"

Egress Information

Width: 41 13/32" Height: 15 15/16"

Net Clear Opening: 4.58 SqFt

Performance Information

U-Factor: 0.33

Solar Heat Gain Coefficient: 0.18

Visible Light Transmittance: 0.41

Condensation Resistance: 55

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 45" X 42"
Rough Opening 46" X 42 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E3
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E3
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround



CPD Number: MAR-N-425-17183-00001
ENERGY STAR: S
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
4 9/16" Jamb
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #4	Mark Unit: D-LVG S TWIN DH/366/HALF SCN	Net Price:		1,824.80
Qty: 1		Ext. Net Price:	USD	1,824.80

MARVIN 



As Viewed From The Exterior

Entered As: Size by Units

FS 86" X 42"

Egress Information A1, A2

Width: 39 13/32" Height: 15 15/16"

Net Clear Opening: 4.36 SqFt

Performance Information A1, A2

Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Performance Grade A1, A2

Licensee #1127

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG50 1149X2223 mm (45.3X87.5 in)

LC-PG50 DP +50/-50

FL17635

Performance Grade Mull

Licensee #1127

AAMA 450-10

LC-65 1149X1613 mm (45.26X63.51 in)

LC-65 DP 65

Performance Grade Overall Assembly

LC-PG50 DP +50/-50

Bronze Clad Exterior
Bare Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
87" X 42 1/2"

Unit: A1

Ultimate Double Hung G2

Basic Frame 43" X 42"

Rough Opening 44" X 42 1/2"

Top Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG

Low E3

Black Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Black

Rectangular - Special Cut 3W1H

Bronze Clad Ext - Bare Pine Int

Ogee Interior Glazing Profile

Bottom Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG - 1 Lite

Low E2

Black Perimeter Bar

Ogee Interior Glazing Profile

Beige Interior Weather Strip Package

Black Exterior Weather Strip Package

Bronze Sash Lock

Bronze Top Sash Strike Plate Assembly Color

Half Screen

Bronze Surround

Charcoal Fiberglass Mesh

***Screen/Combo Ship Loose

Unit: A2

Ultimate Double Hung G2

Basic Frame 43" X 42"

Rough Opening 44" X 42 1/2"

Top Sash

Bronze Clad Sash Exterior

Bare Pine Sash Interior

IG

Low E3

Black Perimeter and Spacer Bar

7/8" SDL - With Spacer Bar - Black

Rectangular - Special Cut 3W1H

Bronze Clad Ext - Bare Pine Int

3

4

Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #5	Mark Unit: E-LVG E./HALF SCRNR	Net Price:		884.00
Qty: 2		Ext. Net Price:	USD	1,768.00

MARVIN 



As Viewed From The Exterior

Entered As: FS

FS 43" X 43"

Egress Information

Width: 39 13/32" Height: 16 7/16"

Net Clear Opening: 4.50 SqFt

Performance Information



U-Factor: 0.33

Solar Heat Gain Coefficient: 0.27

Visible Light Transmittance: 0.46

Condensation Resistance: 55

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 43" X 43"
Rough Opening 44" X 43 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W1H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh



CPD Number: MAR-N-425-17179-00001
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

***Screen/Combo Ship Loose
4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change


Initials required

Seller: _____

Buyer: _____

Line #6	Mark Unit: F-DRESSING & BR	Net Price:		808.80
Qty: 3		Ext. Net Price:	USD	2,426.40

MARVIN 



As Viewed From The Exterior

Entered As: FS
FS 25" X 39"
Egress Information
Width: 21 13/32" Height: 14 7/16"
Net Clear Opening: 2.15 SqFt
Performance Information
U-Factor: 0.33
Solar Heat Gain Coefficient: 0.27
Visible Light Transmittance: 0.46
Condensation Resistance: 55
CPD Number: MAR-N-425-17179-00001
Performance Grade
Licensee #1127
AAMA/WDMA/CSA/101/ I.S.2/A440-08
LC-PG50 1149X2223 mm (45.3X87.5 in)
LC-PG50 DP +50/-50
FL17635

Bronze Clad Exterior
Bare Pine Interior
Ultimate Double Hung G2
Frame Size 25" X 39"
Rough Opening 26" X 39 1/2"
Top Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG
Low E2
Black Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 3W2H
Bronze Clad Ext - Bare Pine Int
Ogee Interior Glazing Profile
Bottom Sash
Bronze Clad Sash Exterior
Bare Pine Sash Interior
IG - 1 Lite
Low E2
Black Perimeter Bar
Ogee Interior Glazing Profile
Beige Interior Weather Strip Package
Black Exterior Weather Strip Package
Bronze Sash Lock
Bronze Top Sash Strike Plate Assembly Color
Half Screen
Bronze Surround
Charcoal Fiberglass Mesh
***Screen/Combo Ship Loose

4 9/16" Jambs
Nailing Fin
***Note: Units with Capillary tubes will not have Argon gas.
***Note: Unit Availability and Price is Subject to Change

8

9

10

Initials required

Seller: _____

Buyer: _____

Line #7	Mark Unit: INSTALLATION	Net Price:		5,454.36
Qty: 1		Ext. Net Price:	USD	5,454.36

Labor

*Removal and disposal of existing, installation of new windows, 10-year labor warranty

Initials required

Seller: _____

Buyer: _____

Project Subtotal Net Price: USD	8,668.80
Non-Taxable Labor: USD	5,454.36
8.635% Sales Tax: USD	748.55
Project Total Net Price: USD	14,871.71

TERMS AND CONDITIONS

Quotations are subject to correction at any time, and to price revision after 30-days. All window and door options and specifications as entered are approved by you. You are responsible for windows meeting egress and safety glass code requirements. Immediately upon submitting approved orders with Signature Window + Door's vendors, change requests will be subject to scrap charges and order change fees.

Payment terms are 1/2-Deposit, Balance-COD except with prior approval. Past due accounts are subject to reasonable collection costs, including attorney's fees and interest. Should we hold any part of your order more than 30-days at your request, you agree to process our invoice for payment as if your order had been delivered complete. Signature Windows + Doors is not responsible for delivery delays beyond its control.

Signature Windows + Door's builder/contractor pricing program includes services such as discounted delivery, discount for paying by cash or check, pre-installation workshops and post-installation walk through inspections when requested.

Thank you for your business!

PRODUCT AND PERFORMANCE INFORMATION

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

PURCHASE APPROVAL/SIGN OFF


Project Subtotal Net Price: USD	8,668.80
Non-Taxable Labor: USD	5,454.36
8.635% Sales Tax: USD	748.55
Project Total Net Price: USD	14,871.71

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____

New window map
corresponding with
bid window list











Existing window interior

Existing window interior



Existing window interior





Existing window interior

Existing window interior



Existing window interior



Existing window interior

